

06/03/99

**UTILITY
PATENT APPLICATION
TRANSMITTAL**

(Only for new nonprovisional applications under 37 CFR 1.53(b))

Attorney Docket No.

35.G2398

First Named Inventor or Application Identifier

HARUHISA SUZUKI

Express Mail Label No.

APPLICATION ELEMENTS

See MPEP chapter 600 concerning utility patent application contents.

ADDRESS TO:Assistant Commissioner for Patents
Box Patent Application
Washington, DC 202311. ☐ Fee Transmittal Form
(Submit an original, and a duplicate for fee processing)2. ☒ Specification Total Pages 3. ☒ Drawing(s) (35 USC 113) Total Sheets 4. ☒ Oath or Declaration Total Pages

- a. ☐ Newly executed (original or copy)
- b. ☒ Unexecuted for information purposes
- c. ☐ Copy from a prior application (37 CFR 1.63(d))
(for continuation/divisional with Box 17 completed)
[Note Box 5 below]
- i. ☐ **DELETION OF INVENTOR(S)**
Signed Statement attached deleting
inventor(s) named in the prior application, see
37 CFR 1.63(d)(2) and 1.33(b).

5. ☐ Incorporation By Reference (useable if Box 4c is checked)
The entire disclosure of the prior application, from which a copy of
the oath or declaration is supplied under Box 4c, is considered as
being part of the disclosure of the accompanying application and is
hereby incorporated by reference therein.6. ☐ Microfiche Computer Program (Appendix)7. Nucleotide and/or Amino Acid Sequence Submission
(if applicable, all necessary)

- a. ☐ Computer Readable Copy
- b. ☐ Paper Copy (identical to computer copy)
- c. ☐ Statement verifying identity of above copies

ACCOMPANYING APPLICATION PARTS

8. ☐ Assignment Papers (cover sheet & document(s))
9. ☐ 37 CFR 3.73(b) Statement ☐ Power of Attorney
(when there is an assignee)
10. ☐ English Translation Document (if applicable)
11. ☐ Information Disclosure Statement (IDS)/PTO-1449 ☐ Copies of IDS
Citations
12. ☐ Preliminary Amendment
13. ☒ Return Receipt Postcard (MPEP 503)
(Should be specifically itemized)
14. ☐ Small Entity ☐ Statement filed in prior application
Statement(s) Status still proper and desired
15. ☐ Certified Copy of Priority Document(s)
(if foreign priority is claimed)
16. ☐ Other: _____

17. If a CONTINUING APPLICATION, check appropriate box and supply the requisite information:

☐ Continuation ☐ Divisional ☐ Continuation-in-part (CIP) of prior application No. ____/____**18. CORRESPONDENCE ADDRESS**☒ Customer Number or Bar Code Label05514
(Insert Customer No. or Attach bar code label here)or ☐ Correspondence address below

NAME

Address

City

State

Zip Code

Country

Telephone

Fax



CLAIMS	(1) FOR	(2) NUMBER FILED	(3) NUMBER EXTRA	(4) RATE	(5) CALCULATIONS
	TOTAL CLAIMS (37 CFR 1.16(c))	58-20 =	28	X \$ 18.00 =	\$ 504.00
	INDEPENDENT CLAIMS (37 cfr 1.16(b))	14-3 =	11	X \$ 78.00 =	\$ 858.00
	MULTIPLE DEPENDENT CLAIMS (if applicable) (37 CFR 1.16(d))			\$260.00 =	\$0
				BASIC FEE (37 CFR 1.16(a))	\$760.00
		Total of above Calculations =			\$2122.00
	Reduction by 50% for filing by small entity (Note 37 CFR 1.9, 1.27, 1.28).				0
	TOTAL =				\$2122.00

19. Small entity status

- a. ☐ A Small entity statement is enclosed
- b. ☐ A small entity statement was filed in the prior nonprovisional application and such status is still proper and desired.
- c. ☐ Is no longer claimed.


20. ☒ A check in the amount of \$ 2122.00 to cover the filing fee is enclosed.

21. ☐ A check in the amount of \$ _____ to cover the recordal fee is enclosed.

22. The Commissioner is hereby authorized to credit overpayments or charge the following fees to Deposit Account No. 06-1205:

- a. ☒ Fees required under 37 CFR 1.16.
- b. ☒ Fees required under 37 CFR 1.17.
- c. ☐ Fees required under 37 CFR 1.18.

SIGNATURE OF APPLICANT, ATTORNEY, OR AGENT REQUIRED

NAME	JOSEPH W. RAGUSA, ESQ.
SIGNATURE	
DATE	JUNE 2, 1999

TITLE OF THE INVENTION

INFORMATION PROCESSING SYSTEM, INFORMATION PROCESSING
APPARATUS, INFORMATION PROCESSING METHOD, AND STORAGE MEDIUM

5

BACKGROUND OF THE INVENTION

Field of the Invention

The present invention relates to information processing
systems, information processing apparatuses, information
processing methods, and recording media, and more
particularly, to an information processing system, an
information processing apparatus, an information processing
method, and a recording medium that include an application
program for setting and calculating the price of a service
(product) which a shop offers.

Description of the Related Art

In a conventional technology, shops having the same
price rule are grouped, they are managed as a shop group,
and the price information of services which the shops offer
is managed in the shop group. In the present embodiment, a
service refers to a service item or a product item which a
shop offers to a customer. Also in the present embodiment,
a product or products are included in a service and
constitute the service.

20

25

A price rule includes the type differences of services

to be offered, the type differences of products included in the services, price differences, differences in price change histories and price correction schedules, and differences in prices to be changed according to amounts.

5 In information management, information is maintained by the operations of registration, correction, and deletion as required so that external inquiries can be responded, and information is prevented from being abused or falsified by limiting information inquiries and operations.

Price management in units of groups, service type management, management of products included in services, and price management according to the number of ordered sheets are achieved by each of photo finishing chain stores or the parent company managing them. Price settings are switched between a slack period and a busy period in an on-line ticket-issuing system at a railroad company as everyone knows.

10 In the conventional technology, since shops having the same price rule are grouped, they are managed as a shop group, and the price information of services which the shops offer is managed in the shop group, shops or shop groups having different price rules cannot be collectively managed.

20 When a plurality of price rules are managed, since each shop sets the prices of each service and each product which the shop offers, a large load is imposed for management work,

such as registration and correction of the prices of services and products.

When prices need to be changed at a time at a number of shops, for example, a setting error may happen. Capability of preventing price information from being abused or falsified may deteriorate.

When shops or shop groups having different price rules are collectively managed in the conventional technology, all of the price rules which the shops employ need to be managed and thereby a large load is imposed on management. When a shop having a new price rule is established, management means needs to be created again.

The foregoing problems are also generated in shop management and price information management in business deals employing networks, such as the Internet, an independent network, and a local area network (LAN).

SUMMARY OF THE INVENTION

Accordingly, it is an object of the present invention to provide an information processing system, an information processing apparatus, an information processing method, and a recording medium that allow the accounting information of a service which each shop can offer to be managed easily, flexibly, and collectively among a plurality of shops having different price rules.

Another object of the present invention is to provide an information processing system, an information processing apparatus, an information processing method, and a recording medium that allow accounting information for shops which can provide a certain service to be collectively or independently set and changed among a plurality of shops having different price rules.

One of the foregoing objects is achieved in one aspect of the present invention through the provision of an information processing system including: a first information processing apparatus including: group information management means for managing information related to one or more groups each of which is formed of a plurality of shops; and accounting information storage means for storing the accounting information of a service which all shops included in the one or more groups can offer, and a second information processing apparatus comprising accounting information management means for setting or changing the accounting information of the service stored in the accounting information storage means.

In the information processing system, the group information management means may manage a combination of shops which can offer a certain service among the plurality of shops.

In the information processing system, the group

information management means may manage at least one of the ID information of each group, the name of each group, the administrator of each group, the password of the administrator of each group, the ID information of all shops included in each group, the names of all the shops included in each group, the administrators of all the shops included in each group, and the password of the administrator of each shop.

In the information processing system, the group information management means may register, correct, and delete information related to the group.

In the information processing system, the group information management means may allow only the administrator of the information processing system to manage the information related to the group.

In the information processing system, the first information processing apparatus may report the processing performed by the use of the group information management means to the administrators of a group and a shop related to the processing.

In the information processing system, the accounting information management means may set or change the accounting information of a service which each group can offer and the accounting information of one or more products constituting the service.

In the information processing system, the accounting information management means may be able to set accounting information unique to a shop for a service which each group can offer.

5 In the information processing system, the accounting information management means may give priority to the accounting information of a service uniquely specified for a certain shop over the accounting information of a service which a group including the shop can offer.

In the information processing system, the accounting information management means may correct and delete the accounting information of the service and register the accounting information of a service which the group newly offers.

10 In the information processing system, the accounting information management means may allow the administrator of a certain group who manages the accounting information of a service which the group can offer or the administrator of a certain shop included in the group who manages the
20 accounting information of a service which the shop can offer to set or change the accounting information of the service.

In the information processing system, the shop administrator may be able to set accounting information unique to the shop for a service which a certain group can
25 offer, within a range allowed by the group administrator.

In the information processing system, the second information processing apparatus may report the setting and change made by the group administrator to the administrator of a shop included in the group which the group administrator manages.

In the information processing system, the second information processing apparatus may report the setting and change made by the shop administrator to the administrator of a group to which the shop which the shop administrator manages belongs.

In the information processing system, the accounting information of the service may be formed of a basic charge and an amount charge.

In the information processing system, the accounting information of the service may vary according to a period or an amount to be processed.

In the information processing system, a shop included in the group may be able to offer a service other than the service which all shops included in the group can offer.

In the information processing system, the service may be formed of one or more products.

In the information processing system, the service may make one or more prints of a certain image.

In the information processing system, the information processing system may include a local area network or the

Internet.

In the information processing system, the first information processing apparatus may further includes service processing means for receiving an order of the service and processing the service.

One of the foregoing objects is achieved in another aspect of the present invention through the provision of an information processing apparatus including: group information management means for managing information related to one or more groups each of which is formed of a plurality of shops; and accounting information storage means for storing the accounting information of a service which all shops included in the one or more groups can offer.

One of the foregoing objects is achieved in still another aspect of the present invention through the provision of an information processing apparatus including: accounting information management means for setting or changing the accounting information of a service which all shops included in a certain group can offer; and control means for controlling such that the accounting information of the service, set or changed by the use of the accounting information management means is stored in an external unit.

One of the foregoing objects is achieved in yet another aspect of the present invention through the provision of an information processing method including the steps of:

managing information related to one or more groups each of which is formed of a plurality of shops; storing the accounting information of a service which all shops included in the one or more groups can offer; and setting or changing the accounting information of the service which all the shops included in the one or more groups can offer.

One of the foregoing objects is achieved in a further aspect of the present invention through the provision of a computer readable storage medium storing a program, the program including the steps of: managing information related to one or more groups each of which is formed of a plurality of shops; storing the accounting information of a service which all shops included in the one or more groups can offer; and setting or changing the accounting information of the service which all the shops included in the one or more groups can offer.

One of the foregoing objects is achieved in a still further aspect of the present invention through the provision of an information processing system including: a first information processing apparatus comprising an order-issue means for ordering a certain service; and a second information processing apparatus including: accounting information storage means for storing the accounting information of a service which all shops included in one or more groups each of which is formed of a plurality of shops

can offer; and charge calculation means for calculating the charge for a certain service ordered by the order-issue means, according to the accounting information stored in the accounting information storage means.

5 In the information processing system, the order-issue means may order the certain service from a certain shop included in the one or more groups.

 In the information processing system, the second information processing apparatus may report the calculation result of the charge calculation means to the first information processing apparatus or a shop specified by the order-issue means.

 In the information processing system, the certain service may be formed of one or more products.

15 In the information processing system, the charge calculation means may calculate the charge for the certain service according to the accounting information of one or more products constituting the certain service.

20 In the information processing system, the accounting information of the certain service may be formed of a basic charge and an amount charge.

 In the information processing system, the accounting information of the certain service may vary according to a period or an amount to be processed.

25 In the information processing system, the certain

service may make at least one or more prints of a certain image.

In the information processing system, the first information processing apparatus may be connected to the second information processing apparatus via a local area network or the Internet.

One of the foregoing objects is achieved in a yet further aspect of the present invention through the provision of an information processing apparatus including: accounting information storage means for storing the accounting information of a service which all shops included in one or more groups each of which is formed of a plurality of shops can offer; and charge calculation means for calculating the charge for a certain service according to the accounting information stored in the accounting information storage means.

One of the foregoing objects is achieved in an additional aspect of the present invention through the provision of an information processing method including the steps of: storing the accounting information of a service which all shops included in one or more groups each of which is formed of a plurality of shops can offer; and calculating the charge for a certain service according to the stored accounting information.

One of the foregoing objects is achieved in a still

additional aspect of the present invention through the provision of a computer readable storage medium storing a program, the program including the steps of: storing the accounting information of a service which all shops included
5 in one or more groups each of which is formed of a plurality of shops can offer; and calculating the charge for a certain service according to the stored accounting information.

One of the foregoing objects is achieved in a yet additional aspect of the present invention through the provision of an information processing system including: a first information processing apparatus including:
10 accounting information storage means for storing the accounting information of a service which all shops included in one or more groups each of which is formed of a plurality of shops can offer; and authentication means for
15 authenticating the operations of a certain administrator, and a second information processing apparatus comprising accounting information management means for managing the accounting information of a service which each group can
20 offer, stored in the accounting information storage means, according to the authentication result of the authentication means.

In the information processing system, the accounting information storage means may store the accounting
25 information of a service which all shops included in the one

or more groups can offer, and the accounting information of one or more products constituting the service.

In the information processing system, the accounting information storage means may store the accounting information of a service which all shops included in the one or more groups can offer, and the accounting information unique to each shop of the service.

In the information processing system, the accounting information management means may manage the accounting information of a service which all shops included in each group can offer, and the accounting information of one or more products constituting the service.

In the information processing system, the accounting information management means may correct and delete a service which each group can offer, and register the accounting information of a service newly offered by the group.

The information processing system may be formed such that the authentication means authenticates the operations of the certain administrator and allows only the certain administrator to manage the accounting information of the service.

In the information processing system, the authentication means may allow a group administrator who manages the accounting information of a service which a

certain group can offer, or the administrator of a certain shop included in each group who manages the accounting information of a service which the shop can offer to manage the accounting information of the service.

5 In the information processing system, the administrator of the shop may be able to set the accounting information unique to the shop of a service which a certain group can offer, within a range allowed by the group administrator.

10 In the information processing system, the second information processing apparatus may report the management performed by the group administrator to the administrator of a shop included in the group which the group administrator manages.

15 In the information processing system, the second information processing apparatus may report the management performed by the shop administrator to the administrator of the group to which the shop which the shop administrator manages belongs.

20 In the information processing system, the accounting information of the service may be formed of a basic charge and an amount charge.

 In the information processing system, the accounting information of the service may vary according to a period or an amount to be processed.

25 In the information processing system, a shop included

in the group may be able to offer a service other than a service which all shops included in the group can offer.

In the information processing system, the service may make one or more prints of a certain image.

5 In the information processing system, the information processing system may include a local area network or the Internet.

In the information processing system, the first information processing apparatus may further comprise charge calculation means for calculating the charge of a certain service according to the service accounting information stored in the accounting information storage means.

In the information processing system, when the accounting information unique to a shop included in the group is set, the charge calculation means may give priority to the accounting information unique to the shop over the accounting information of a service which the group can offer.

20 One of the foregoing objects is achieved in a supplementary aspect of the present invention through the provision of an information processing apparatus including: accounting information storage means for storing the accounting information of a service which all shops included in one or more groups each of which is formed of a plurality of shops can offer; and authentication means for

25

authenticating the user who operates the accounting information of a service which each group can offer, stored in the accounting information storage means.

One of the foregoing objects is achieved in a still
5 supplementary aspect of the present invention through the provision of an information processing apparatus including: accounting information management means for managing the accounting information of a service which a certain group can offer; and control means for controlling such that the
10 accounting information of the service, updated by the use of the accounting information management means is stored in an external unit according to the authentication result of the user who operates the accounting information management means.

One of the foregoing objects is achieved in a yet
15 supplementary aspect of the present invention through the provision of an information processing method including the steps of: storing the accounting information of a service which all shops included in one or more groups each of which
20 is formed of a plurality of shops can offer; authenticating the operations of a certain administrator; and managing the accounting information of a service which each group can offer, according to the authentication result.

One of the foregoing objects is achieved in a yet still
25 supplementary aspect of the present invention through the

provision of a computer readable storage medium storing a program, the program including the steps of: storing the accounting information of a service which all shops included in one or more groups each of which is formed of a plurality of shops can offer; authenticating the operations of a certain administrator; and managing the accounting information of a service which each group can offer, according to the authentication result.

Other objects and other features of the present invention will be made clear by the following specification and the drawings.

BRIEF DESCRIPTION OF THE DRAWINGS

Fig. 1 is a view showing an overall structure of a system according to an embodiment of the present invention.

Fig. 2 is a block diagram showing a system configuration example of each information processing apparatus in the system according to the embodiment of the present invention.

Fig. 3 is a block diagram showing a system configuration of a print server according to the embodiment of the present invention.

Fig. 4 is a structural view showing a module structure (program structure) according to the present embodiment.

Fig. 5 is a view showing a user table example according

to the present embodiment.

Fig. 6 is a view showing an example of a user rank table according to the present embodiment.

Fig. 7 is a view showing an example of a user-and-user-rank relation table according to the present embodiment.

Fig. 8 is conceptual view showing printing-shop grouping according to the present embodiment.

Fig. 9 is a view showing a shop table example according to the present embodiment.

Fig. 10 is a view showing an example of a shop group table according to the present embodiment.

Fig. 11 is a view showing an example of a shop-and-shop-group relation table according to the present embodiment.

Fig. 12 is a view showing a service table example according to the present embodiment.

Fig. 13 is a view showing a product table example according to the present embodiment.

Fig. 14 is a conceptual view showing templates according to the present embodiment.

Fig. 15 is a view showing an example of a template table according to the present embodiment.

Fig. 16 is a view showing an example of a template-and-product relation table according to the present embodiment.

Fig. 17 is a view showing a price table example

according to the present embodiment.

Fig. 18 is a structural view showing a printing order according to the present embodiment.

Fig. 19 is a flowchart showing a shop and shop group registration processing flow.

Fig. 20 is a flowchart showing a template and price registration processing flow.

Fig. 21 is a flowchart showing registration, correction, and deletion processing flows for each table.

Fig. 22 is a flowchart showing a printing-order-receive processing flow.

Fig. 23 is a view showing an example of a shop price table according to the present embodiment.

Fig. 24 is a flowchart showing price calculation processing for a printing shop.

Fig. 25 is a view showing an example of a price table for an ordered sheet count according to the present embodiment.

Fig. 26 is a flowchart showing price calculation processing for an ordered sheet count.

DESCRIPTION OF THE PREFERRED EMBODIMENT

System configuration

Fig. 1 is a structural view of the whole system used

for describing an information processing system, an information processing apparatus, an information processing method, and a storage medium according to an embodiment of the present invention.

5 In Fig. 1, a connecting apparatus 100 represents a network, such as a local area network (LAN) or the Internet. The connecting apparatus 100 is hereinafter called just a network 100.

10 An information processing apparatus (a computer system, described later with Fig. 2, formed of a CPU, a ROM, a RAM, and an HDD) 101 is used by a customer who is a user of the system according to the present embodiment for direct operations from the home and is hereinafter called a client computer 101.

15 The client computer 101 has a reading function for reading the information (information in a printing shop, described later, and image information, for example) of a center server 102, described later, and an ordering function for ordering image printing from the center server 102.

20 The center server 102, which is called in that way in the present embodiment, is an information processing apparatus for processing a request from the client computer 101. As described later in detail, the center server 102 has a price calculation function, a storage function for
25 storing an image to be transmitted to the client computer

101 according to a request from the client computer 101, and a function for receiving an image printing order sent from the client computer 101, obtaining the image according to image storage area information, and sending a printing order to print servers 121, 122, and 12N, described later.

Information processing apparatuses 111, 112, and 11N store images and transmit a stored image to the center server 102 according to a request from the center server 102. They are hereinafter called image servers.

The print servers 121, 122, and 12N are information processing apparatuses having a function for printing an image according to a printing order sent from the center server 102, a function for storing images for printing, and a function for transmitting a stored image according to a request from the center server 102 to the center server 102.

An image is printed according to an order sent from a customer and the printed image is passed to the customer in shops or parts of shops 131, 132, and 13N. These shops or the parts of shops are hereinafter called printing shops. A printing shop is formed of a print server and a shop computer.

The client computer 101, the center server 102, the image servers 111, 112, and 11N, and the print server 121, 122, and 12N are connected to each other through the network 100.

In Fig. 1, the client computer 101, the center server 102, the image servers 111, 112, and 11N, the print server 121, 122, and 12N, and the information processing apparatuses disposed at the printing shops 131, 132, and 13N are shown as separate bodies. Several information processing apparatuses can be physically replaced with one computer.

Block diagram of the client computer, the center server, and the image servers

Fig. 2 is a block diagram showing a structure of each of the information processing apparatuses 101, 102, 111, 112, and 11N in the system according to the present embodiment.

In the system according to the present embodiment, since the computers other than the print servers 121, 122, and 12N, namely, the client computer 101, the center server 102, and the image servers 111, 112, and 11N have the same internal structure, the hardware structure of each information processing apparatus is collectively shown in Fig. 2.

In Fig. 2, a central processing unit (hereinafter called a CPU) 1001 controls the information processing apparatus.

A random access memory (hereinafter called a RAM) 1002 serves as a main memory of the CPU 1001 and also serves as

an execution area for an executing program and a temporarily save area.

A read only memory (hereinafter called a ROM) section 1003 stores the operation procedure of the CPU 1001. The ROM section 1003 includes a program ROM which stores an operating system (OS) serving as a system program for controlling the information processing apparatus and a data ROM which stores information required for operating the whole system. Instead of the ROM section 1003, an HDD 1009, described later, may be used.

A network interface (NETIF) 1004 performs control of transferring data between information processing apparatuses through the network 100 and achieves diagnosis of a connection condition.

A video RAM (VRAM) 1005 develops an image showing the operating condition of the information processing apparatus, to be displayed on the screen of a display unit 1006 (hereinafter called a CRT) and controls the display.

A controller (KBC) 1007 controls an input signal sent from an external input unit 1008.

The external input unit (KB) 1008 receives an operation which the user performs for an information processing apparatus. The external input unit 1008 is formed of a keyboard or a pointing device, such as a mouse.

A hard disk drive (HDD) 1009 has a hard disk as a

storage member, and stores application programs and data such as image information and registration information. The application programs in the system according to the present embodiment include a software program for reading through the network, used in the client computer, and a software program for registering shop information and a software program for receiving printing orders, both used in the center server.

An external input and output unit 1010 is formed, for example, of a floppy disk drive having a detachable floppy disk as a storage member or a CD-ROM drive having a detachable CD-ROM as a storage member. The external input and output unit 1010 is used for reading the application programs from external storage media such as a floppy disk and a CD-ROM, and hereinafter called an FDD.

Input and output buses (address bus, data bus and control bus) 1000 connect the above units.

Block diagram of print server

Fig. 3 is a block diagram showing a system structure of a print server according to the present embodiment. In Fig. 3, a CPU 2001 controls an information processing apparatus serving as a print server.

A RAM 2002 serves as a main memory of the CPU 2001 and also serves as an execution area for an executing software

program and a temporarily save area.

A ROM section 2003 stores the operation procedure of the CPU 2001. The ROM section 2003 includes a program ROM which stores an operating system (OS) serving as a system
5 program for controlling the print server and a data ROM which stores information required for operating the whole system. Instead of the ROM section 2003, an HDD 2009, described later, may be used.

A network interface (NETIF) 2004 performs control of transferring image data with the center server, the other
10 print servers, and the image servers, and achieves diagnosis of a connection condition.

A video RAM (VRAM) 2005 develops an image showing the operating condition of the information processing apparatus serving as the print server, to be displayed on the screen
15 of a display unit 2006 (hereinafter called a CRT) and controls the display.

A controller (KBC) 2007 controls an input signal sent from an external input unit 2008.

20 The external input unit (KB) 2008 receives an operation which the user performs for an information processing apparatus. The external input unit 2008 is formed of a keyboard or a pointing device, such as a mouse.

A hard disk drive (HDD) 2009 has a hard disk as a
25 storage member, and stores image data and an application

program for controlling printing.

An external input and output unit 2010 is formed, for example, of a floppy disk drive or a CD-ROM drive. The external input and output unit 2010 is used for reading the application program from external storage media such as a floppy disk and a CD-ROM, and hereinafter called an FDD.

A printer control unit 2011 controls an external output unit 2012 and an image to be output, and is hereinafter called a PRTC. The external output unit 2012 is formed, for example, of a printer. Input and output buses (address bus, data bus and control bus) 2000 connect the above units.

Module structure of system

Fig. 4 is a structural view showing the module structure (program structure) of the system according to the present embodiment.

In Fig. 4, the client computer 101 stores network reading means 401 as a software program controlled under an operating system (OS) read from the ROM 1003, the HDD 1009, or the FDD 1010 and activated.

The network reading means 401 is stored in the ROM 1003, the HDD 1009, or the FDD 1010 of the client computer 101 and has a function formed of the software program developed in the RAM 1002 and used.

The network reading means 401 (namely, an application

software program called an Internet browser) allows an external service to be received through the network 100, and performs processing for ordering image printing from the center server 102.

5 The center server 102 is on the network 100 and stores order-receive processing means 402, shop registration means 403, and a data base 404, described later, as programs controlled under the operating system (OS) read from the ROM 1003, the HDD 1009, or the FDD 1010 and activated.

10 The data base 404 is data storage means for storing data registered at the system according to the present embodiment, and is, for example, a relational data base system widely used in general or a retrievable file stored in the RAM 1002, the HDD 1009, or the FDD 1010.

15 In the present embodiment, when price information is set at a plurality of printing shops, setting work is made efficient by grouping printing shops and using a template, described later. The data base 404 stores information mainly required therefor. A data structure will be
20 described later by referring to Fig. 5 to Fig. 17.

25 The shop registration means 403 is stored in the ROM 1003, the HDD 1009, or the FDD 1010 of the center server 102 and is an application program developed in the RAM 1002 and used. It is used for registration processing of shops and shop groups described later by referring to Fig. 19.

The order-receive processing means 402 is stored in the ROM 1003, the HDD 1009, or the FDD 1010 of the center server 102 and is an application program developed in the RAM 1002 and used. It is used for printing-order receive processing described later by referring to Fig. 22.

The printing shop 131 is formed of the print server 121 and a shop computer 405.

The print server 121 constitutes printing processing means and performs printing processing when it receives a request from the center server 102. The shop computer 405 is an information processing apparatus used in the printing shop 131 and stores price registration means 406, described later, as an application program controlled under the operating system (OS) read from the ROM 1003, the HDD 1009, or the FDD 1010 and activated.

The price registration means 406 is stored in the ROM 1003, the HDD 1009, or the FDD 1010 of the shop computer 405 and is an application program developed in the RAM 1002 and used. It is used for template processing and price registration processing described later by referring to Fig. 20. One printing shop 131 or two or more printing shops 131 exist in the system according to the present embodiment. In Fig. 1, they are expressed as 131, 132, and 13N. In Fig. 4, there is no difference in contents to be described therebetween, only one printing shop 131 is described.

The image server 111 is image storage means for storing images for printing, and transmitting a stored image according to a request from the center server 102 to the center server 102.

5 One image server 111 or two or more image servers 111 exist in the system according to the present embodiment in the same way as for the printing shop 131. In Fig. 1, they are expressed as 111, 112, and 11N. In Fig. 4, there is no difference in contents to be described therebetween, only one image server 111 is described as a representation of a plurality of image servers.

The connection means 100 is a network such as a local area network (LAN) or the Internet, as described above. In the present embodiment, the client computer 101, the center server 102, the image server 111, the print server 121, and the shop computer 405 are shown as separate bodies. Several units of them can be physically replaced with one computer.

Data structure in the present embodiment

20 A data structure required in the present embodiment will be described below by referring to Fig. 5 to Fig. 17. Data is, for example, stored in the data base 404 in the center server 102 in the present embodiment. Data management includes registration, maintenance, correction, 25 and deletion.

Fig. 5 shows a user table used for uniquely identifying, for registration and management, operators (hereinafter called users) who perform data registration and management in the system in the present embodiment.

5 The user table includes user IDs 501 for uniquely expressing users in the system in the present embodiment, user names 502 for expressing the names of the users, and passwords 503 for protecting the authorities of the users.

Each row of the table corresponds to a data item registered at the user table. In Fig. 5, five data items 511, 512, 513, 514, and 515 have been registered.

Fig. 6 shows a user rank table used for ranking the scopes of the authorities in which the users manage the data. The user rank table includes user ranks 601 indicating the strengths of the authorities and authority names 602 indicating the names of the authorities.

In each row of the table shown in Fig. 6, the authority required in the system in the present embodiment is defined. There are shown the authority 611 of a center server administrator, the authority 612 of a shop group administrator, the authority 613 of a shop administrator, and the authority 614 of a general user.

Fig. 7 shows a user-and-user-rank relation table which indicates the relationship between the users and the user ranks shown above. The user-and-user-rank relation table

includes user IDs 701 in which the user IDs defined in the user table are registered and user ranks 702 in which the user ranks defined in the user rank table are registered.

Each row in the table shows a data item registered and managed at the user-and-user-rank relation table. In Fig. 7, five data items 711, 712, 713, 714, and 715 have been registered as examples.

Fig. 8 is a conceptual view indicating printing-shop groups. This concept is implemented in the present embodiment by the use of tables shown in Fig. 9, Fig. 10, and Fig. 11.

In Fig. 8, there are shown printing shops 801, 802, 803, and 804 which are the same as those shown in Fig. 1 and Fig. 4, and shop groups 811 and 812, described later. A shop group is a collection member of printing shops, where price setting can be collectively performed. A printing shop registered in the system in the present embodiment need belong to any of shop groups defined in the system. The number of printing shops belonging a shop group can be any figure equal to or larger than zero.

Fig. 9 shows a shop table used for uniquely identifying printing shops for registration in the system in the present embodiment. The shop table includes shop IDs 901 for uniquely identifying printing shops in the system in the present embodiment, shop names 902 for expressing the names

of the printing shops, and shop administrators 903 for expressing users who are in charge of shop management.

Each row of the table corresponds to a data item registered at the shop table. In Fig. 9, the printing shop 1, the printing shop 2, the printing shop 3, and the printing shop 4 shown in Fig. 8 have been registered as examples in rows 911, 912, 913, and 914, respectively. Their shop IDs are set to SP01, SP02, SP03, and SP04, respectively, and their shop administrators are set to U001, U002, U003, and U004, respectively.

Only the user who has the authority of the center server administrator, described above by referring to Fig. 6, can register, correct, and delete the shop table in the present embodiment. A processing flow will be described later by referring to flowcharts shown in Fig. 19 and Fig. 21.

Fig. 10 shows a shop group table used for uniquely identifying shop groups for registration in the system in the present embodiment. The shop group table includes shop group IDs 10001 serving as identifications for uniquely identifying the shop groups in the present embodiment and shop group names 10002 indicating the names of the shop groups.

Each row in the table shows a data item registered at the shop group table. In Fig. 10, the shop group A and the

shop group B shown in Fig. 8 have been registered in rows 10011 and 10012, respectively.

Only the user who has the authority of the center server administrator, described above by referring to Fig. 6, can register, correct, and delete the shop group table. A processing flow of registering, correcting, and deleting a shop group table will be described later by referring to the flowcharts shown in Fig. 19 and Fig. 21.

Fig. 11 shows a shop-and-shop-group relation table which indicates the relationship between the shops and the shop groups shown above. The shop-and-shop-group relation table includes shop group IDs 11001 in which the shop group IDs defined in the shop group table are registered and shops IDs 11002 in which the shop IDs defined in the shop table are registered.

Each row in the table shows a data item registered at the shop-and-shop-group relation table. Fig. 11 includes a data item 11011 in which the printing shop 1 is related to the shop group A as shown in Fig. 8, a data item 11012 in which the printing shop 2 is related to the shop group A as shown in Fig. 8, a data item 11013 in which the printing shop 3 is related to the shop group B as shown in Fig. 8, and a data item 11014 in which the printing shop 4 is related to the shop group B as shown in Fig. 8, as examples.

Only the user who has the authority of the center

server administrator can register, correct, and delete the shop-and-shop-group relation table. A processing flow will be described later by referring to the flowcharts shown in Fig. 19 and Fig. 21.

5 Fig. 12 shows a service table used for registering the types of printing services offered by the system in the present embodiment. The service table includes service IDs 12001 for uniquely identifying the types of the services in the system in the present embodiment, and service names 12002 for expressing the names of the services.

Each row of the table corresponds to a data item registered at the service table. In Fig. 12, three data items 12011, 12012, and 12013 have been registered as examples.

10 Fig. 13 shows a product table at which products required for the printing services offered by the system in the present embodiment are registered. The product table includes product IDs 13001 for uniquely identifying the types of products in the system in the present embodiment and product names 13002 indicating the names of the products.

Each row in the table shows a data item registered at the product table. In Fig. 13, five data items 13011, 13012, 13013, 13014, and 13015 have been registered as examples.

15 Fig. 14 is a conceptual view indicating a template in the system in the present embodiment. This concept is

implemented in the present embodiment by the use of tables shown in Fig. 15 and Fig. 16.

A template in the system in the present embodiment shows the relationship between a service and a product required to offer the service, and is registered at the data base 404, which is a system module shown in Fig. 4.

In Fig. 14, the shop group 1 and the shop group B are indicated by 14001 and 14002 as examples. A template 1, indicated by 14011, shows that the A4 printing service includes a charge 1 and a A4 sheet charge.

In the same way, a template 2, indicated by 14012, shows that the postcard printing service includes a charge 2 and a postcard charge. A template 3, indicated by 14013, shows that the A4 printing service includes a A4 sheet charge only. A template 4, indicated by 14014, shows that the sticker printing service includes a charge 2 and a sticker charge.

A shop group administrator determines services to be offered and their product configurations for each shop group and registers them as a template. Any number (zero or more) of templates are registered and managed at a shop group. Registration processing flow will be described later by the use of flowcharts shown in Fig. 20 and Fig. 21.

In Fig. 14, the template 1, the template 2, and the template 4 are registered in the shop group A, 14001, and

the template 3 is registered in the shop group B, 14002, as examples. With the use of templates in this way, the system in the present embodiment collectively manages shop groups having different price rules.

5 In Fig. 14, there are two A4 printing services as examples, the template 1, which includes the charge 1 and the A4 sheet charge and is registered in the shop group A, and the template 3, which includes the A4 sheet charge only and is registered in the shop group B.

Fig. 15 shows a template table used for uniquely identifying the above templates for registration in the system in the present embodiment, for relating the templates to services, and for setting template registration sources.

10 The template table includes template IDs 15011 for uniquely identifying the templates in the system in the present embodiment, service IDs 15002 for expressing the services corresponding to the templates, template names 15003 for expressing the names of the templates, and shop group IDs 15004 for indicating shop groups which have
20 registered the templates.

Each row of the table corresponds to a data item registered at the template table. In Fig. 15, the template 1, the template 2, the template 3, and the template 4 shown in Fig. 14 as examples have been registered in rows 15011,
25 15012, 15013, and 15014, respectively. A user who has the

authority of a shop group administrator, described above by referring to Fig. 6, can register, correct, and delete a template table. A processing flow will be described later by referring to flowcharts shown in Fig. 20 and Fig. 21.

5 Fig. 16 shows a template-and-product relation table used for relating products to templates. The template-and-product relation table includes template IDs 16001 in which the template IDs defined in the template table are registered and product IDs 16002 in which the product IDs defined in the product table are registered.

Each row in the table shows a data item registered at the template-and-product relation table. Fig. 16 includes a data item 16011 in which the charge 1 is related to the template 1 as shown in Fig. 14, a data item 16012 in which the A4 sheet charge is related to the template 1, a data item 16013 in which the charge 2 is related to the template 2, a data item 16014 in which the postcard charge is related to the template 2, a data item 16015 in which the A4 sheet charge is related to the template 3, a data item 16016 in which the charge 2 is related to the template 4, and a data item 16017 in which the sticker charge is related to the template 4, as examples.

20 A user who has the authority of a shop group administrator can register, correct, and delete a template-and-product relation table. A processing flow will be

25

described later by referring to the flowcharts shown in Fig. 20 and Fig. 21.

Fig. 17 is a price table used for registering and managing prices for shop groups, products, and valid periods. The price table includes shop group IDs 17001 for indicating shop groups at which prices are registered, product IDs 17002 for expressing products, valid periods 17003 for prices, basic charges 17004, and amount charges 17005.

The prices of all products included in all registered templates are registered for each shop group. A price is calculated by adding a basic charge 17004, which is evenly applied to an order irrespective of the ordered amount, to a fee obtained by multiplying an amount charge 17005, which is applied in proportion to the ordered amount, by the number of ordered sheets. For example, the price of an order in which five products each of which costs an amount charge of 10 yen are requested with a basic charge of 100 yen is obtained by an expression of $100 + 10 \times 5 = 150$ yen.

Each row in the price table corresponds to a data item registered at the table. In Fig. 17, the products defined in the template 1, the template 2, the template 3, and the template 4 shown in Fig. 14 are registered as data items.

For the shop group A, the prices of all the products included in the template 1, the template 2, and the template 4 registered for the shop group A, namely, the charge 1, the

charge 2, the A4 sheet charge, the postcard charge, and the sticker charge, need to be registered for valid periods. In Fig. 17, these are expressed by data items of 17011, 17012, 17013, 17014, 17015, 17016, 17017, 17018, 17019, and 17020.

5 In the same way, for the shop group B, the price of the A4 sheet, which is a product included in the template 3 registered for the shop group B, needs to be registered for valid periods. In Fig. 17, it is expressed by data items of 17021 and 17022. A user who has the authority of a shop group administrator, described with Fig. 6, can register, correct, and delete the price table. A processing flow will be described later by referring to the flowcharts shown in Fig. 20 and Fig. 21.

10 In the system in the present embodiment, the center server administrator specifies standard prices in the system for a case in which the price of a product included in a template which a shop group offers is not set. In Fig. 17, data items 17023, 17024, 17025, 17026, and 17027 are registered with a code for identifying the data items as
15 those common to the shop groups. A user having the authority of the center server administrator can register, correct, and delete a data item indicating a standard price in the system.

20 Fig. 18 is a view showing a printing-order structure in
25 the system in the present embodiment.

In Fig. 18, a printing order 18001 serves as a unit of a printing request sent from the client computer and is identified by the unique order ID in the system. The printing order is formed of one or more sub orders 18011, 18012, ..., and 1801N, and has the shop ID of the desired output printing shop.

The sub orders 18011, 18012, ..., and 1801N are generated in units of services which a printing shop offers, and are identified by the sub order IDs which are unique within the upper-level order. Each sub order is formed of one or more order items 18021, 18022, ..., and 1802N.

The order items 18021, 18022, ..., and 1802N have editing information, such as an image ID uniquely issued in the system for identifying an image to be printed, and the information of a location where the image is to be printed on a sheet.

Data registration processing in the present embodiment

Fig. 19 is a flowchart showing a registration processing flow for shops and shop groups. This registration processing for shops and shop groups are performed with the use of the shop registration means 403, formed of a program stored in the center server 102, by operations of the center server administrator.

As shown in Fig. 19, when the processing is started,

the data base 404 in the center server 102 is connected in a first step S19001.

In the next step S19002, the operator, namely, the center server administrator, is asked to input the user ID and the password.

In the next step S19003, the input user ID and the password are verified with the user table shown in Fig. 5 to check that the user ID has been positively registered and it is not abused. If an error is found, the processing is terminated.

When it is found from the determination in the step S19003 that the input user ID and the password have been authorized, the processing proceeds to a step S19004. The input user ID is verified with the user-and-user-rank relation table shown in Fig. 7. When it is found from the verification that the input user ID corresponds to the authority of the center server administrator, the processing proceeds to a step S19005 and a printing shop is registered in shop registration/correction processing described later. If an error is found, the processing is terminated.

In the next step S19006, it is determined whether the registered printing shop belongs to any of existing shop groups. When the registered printing shop is not related to the existing shop groups, a shop group is registered in a step S19007 by the use of shop-group registration/correction

processing described later.

In the next step S19008, the relationship between the printing shops and the shop group is registered by the use of shop-and-shop-group relation registration processing described later.

Fig. 20 is a flowchart showing a template and price registration processing flow. This template and price registration processing are performed with the use of the price registration means 406, formed of a program stored in the shop computer 405, by operations of each shop group administrator.

When the processing is started, the data base 404 in the center server 102 is connected in a first step S20001.

In the next step S20002, the operator, namely, a shop group administrator, is asked to input the user ID and the password.

When the user ID and the password are input, they are verified with the user table shown in Fig. 5 in the next step S20003 to check that the user ID has been positively registered and it is not abused. If an error is found, the processing is terminated.

When an error is not found, the input user ID is verified with the user-and-user-rank relation table shown in Fig. 7 in the next step S20004 to check that the input user ID corresponds to the authority of a shop group

administrator. If an error is found in this checking, the processing is terminated.

When the input user ID corresponds to the authority of a shop group administrator, a template is registered in a step S20005 in template registration/correction processing described later.

In the next step S20006, the template is related to a product by the use of template-and-product relation registration/correction processing described later.

In the next step S20007, it is checked whether all templates corresponding to all services which the shop group offers have been registered. If registration is insufficient, the processing goes back to the step S20005 and the above-described process is repeated.

When registration is complete, a price is registered in a step S20008 by the use of price registration/correction processing described later.

In the next step S20009, the registration and correction results are reported to the printing shops belonging to the shop group.

Fig. 21 is a flowchart showing registration, correction, and deletion processing for each table.

By the use of Fig. 21, a shop registration/correction processing flow, a shop-group registration/correction processing flow, a shop-and-shop-group relation

registration/correction processing flow, a template
registration/correction processing flow, a template-and-
product relation registration/correction processing flow,
and a price registration/correction processing flow will be
described below.

Shop registration/correction processing flow

The shop registration/correction processing registers,
corrects, and deletes data in the shop table stored in the
data base 404 of the center server 102. This processing is
performed with the use of the shop registration means 403
stored in the center server 102 by operations of the center
server administrator, a shop group administrator, or a shop
administrator.

The center server administrator has the authority of
registering, correcting, and deleting all data items in the
shop table. A shop group administrator has the authority of
correcting a shop name and a shop administrator in the
shop(s) belonging to the shop group administrated. A shop
administrator has the authority of correcting a shop name in
the shop administrated. The shop registration means 403 may
be operated through the network 100 from an information
processing apparatus other than the center server 102, such
as the shop computer 405.

The processing procedure will be described below by

referring to the flowchart shown in Fig. 21.

When the processing is started, it is determined in a first step S21001 whether the data base 404 of the center server 102 has been connected. If it is not yet connected,
5 connection is made in a step S20002.

In the next step S21003, it is determined whether user authentication, described later, has been finished for the operator. If it has not yet been finished, user-authentication processing is performed in the following steps S21004, S21005, and S21006. In user authentication, whether the user ID exists, whether it is not abused, and whether the operator has the authority required for the corresponding processing are checked.

In the step S21004, the operator is asked to input the user ID and the password.
15

In the next step S21005, the input user ID and the password are verified with the user table shown in Fig. 5 and it is checked that the user ID positively exists and it is not abused. If an error is found, the processing is
20 terminated.

In the next step S21006, the input user ID is verified with the user-and-user-rank relation table shown in Fig. 7 to check that the user ID corresponds to the authority of the center server administrator, a shop group administrator,
25 or a shop administrator. If an error is found in this check,

the processing is terminated. Otherwise, the processing proceeds to a step S21007.

In the step S21007, branch processing is performed according to the type of processing which the operator requires within the authority of the user ID. In registration processing, the processes of steps S21008 and S21009 are performed. In correction processing, the processes of steps S21010, S21011, and S21012 are performed. In deletion processing, the processes of steps S21013 and S21014 are performed.

In the step S21008 for registration processing, data required for registering a printing shop at the shop table is created.

In the next step S21009, the data created in the step S21008 is registered at the data base 404.

In the step S21010 for correction processing, printing-shop data to be corrected is inquired of the data base 404.

In the next step S21011, the data inquired in the step S21010 is corrected.

In the next step S21012, the corrected data is registered at the data base 404.

In the step S21013 for deletion processing, printing-shop data to be deleted is inquired of the data base 404.

In the next step S21014, the inquired data is deleted from the data base 404.

Next, in a step S21015, connection to the data base 404 is disconnected.

In the next step S21016, the processing results are reported to related persons.

5 The results of the processing performed by the center server administrator are reported to related shop group administrators and shop administrators. The results of the processing performed by a shop group administrator are reported to related shop administrators. The results of the processing performed by a shop administrator are reported to the shop group administrator.

Shop-group registration/correction processing flow

10 The shop-group registration/correction processing registers, corrects, and deletes data in the shop group table stored in the data base 404 of the center server 102. This processing is performed with the use of the shop registration means 403 stored in the center server 102 by operations of the center server administrator or a shop group administrator.

20 The center server administrator has the authority of registering, correcting, and deleting all data items in the shop group table. A shop group administrator has the authority of correcting the shop group name for the shop group administrated. The shop registration means 403 may be

25

operated through the network 100 from an information processing apparatus other than the center server 102, such as the shop computer 405.

It is determined in the step S21001 whether the data base 404 of the center server 102 has been connected. If it is not yet connected, connection is made in the step S20002.

In the next step S21003, it is determined whether user authentication has been finished for the operator. If it has not yet been finished, user-authentication processing is performed in the following steps S21004, S21005, and S21006.

In the step S21004, the operator is asked to input the user ID and the password.

In the next step S21005, the input user ID and the password are verified with the user table shown in Fig. 5 and it is checked that the user ID positively exists and it is not abused. If an error is found, the processing is terminated.

In the next step S21006, the input user ID is verified with the user-and-user-rank relation table shown in Fig. 7 to check that the user ID corresponds to the authority of the center server administrator or a shop group administrator. If an error is found in this check, the processing is terminated.

In the step S21007, branch processing is performed according to the type of processing which the operator

requires within the authority of the user ID. In registration processing, the processes of the steps S21008 and S21009 are performed. In correction processing, the processes of the steps S21010, S21011, and S21012 are performed. In deletion processing, the processes of the steps S21013 and S21014 are performed.

In the step S21008, data required for registering a shop group at the shop group table is created.

In the next step S21009, the created data is registered at the data base 404.

In the step S21010, shop-group data to be corrected is inquired of the data base 404.

In the next step S21011, the inquired data is corrected.

In the next step S21012, the corrected data is registered at the data base 404.

In the step S21013, shop-group data to be deleted is inquired of the data base 404.

In the next step S21014, the inquired data is deleted from the data base 404.

Next, in the step S21015, connection to the data base 404 is disconnected.

In the next step S21016, the processing results are reported to the shop group administrators and the shop administrators.

Shop-and-shop-group relation registration/correction
processing flow

The shop-and-shop-group relation
registration/correction processing registers, corrects, and
5 deletes data in the shop-and-shop-group relation table
stored in the data base 404 of the center server 102. This
processing is performed with the use of the shop
registration means 403 stored in the center server 102 by
operations of the center server administrator.

It is determined in the first step S21001 whether the
data base 404 of the center server 102 has been connected.
If it is not yet connected, connection is made in the step
S20002.

In the next step S21003, it is determined whether user
authentication has been finished for the operator. If it
15 has not yet been finished, user-authentication processing is
performed in the following steps S21004, S21005, and S21006.

In the step S21004, the operator is asked to input the
user ID and the password.

20 In the next step S21005, the input user ID and the
password are verified with the user table shown in Fig. 5
and it is checked that the user ID positively exists and it
is not abused. If an error is found, the processing is
terminated.

25 In the next step S21006, the input user ID is verified

with the user-and-user-rank relation table shown in Fig. 7 to check that the user ID corresponds to the authority of the center server administrator. If an error is found, the processing is terminated.

5 In the step S21007, branch processing is performed according to the type of processing which the operator requires. In registration processing, the processes of the steps S21008 and S21009 are performed. In correction processing, the processes of the steps S21010, S21011, and S21012 are performed. In deletion processing, the processes of the steps S21013 and S21014 are performed.

 In the step S21008, data which relates a printing shop to a shop group is created.

 In the next step S21009, the created data is registered at the data base 404.

 In the step S21010, data to be corrected is inquired of the data base 404.

 In the next step S21011, the inquired data is corrected.

 In the next step S21012, the corrected data is
20 registered at the data base 404.

 In the step S21013, data to be deleted is inquired of the data base 404.

 In the next step S21014, the inquired data is deleted from the data base 404.

25 Next, in the step S21015, connection to the data base

404 is disconnected.

In the next step S21016, the processing results are reported to the shop group administrators and the shop administrators.

5

Template registration/correction processing flow

The template registration/correction processing registers, corrects, and deletes data in the template table stored in the data base 404 of the center server 102. This processing is performed with the use of the price registration means 406 stored in the shop computer 405 by operations of a shop group administrator.

When the processing is started, it is determined in the step S21001 whether the data base 404 of the center server 102 has been connected. If it is not yet connected, connection is made in the step S20002.

In the next step S21003, it is determined whether user authentication has been finished for the operator. If it has not yet been finished, user-authentication processing is performed in the following steps S21004, S21005, and S21006.

In the step S21004, the operator is asked to input the user ID and the password.

In the next step S21005, the input user ID and the password are verified with the user table shown in Fig. 5 and it is checked that the user ID positively exists and it

25

is not abused. If an error is found, the processing is terminated.

In the next step S21006, the input user ID is verified with the user-and-user-rank relation table shown in Fig. 7

5 to check that the user ID corresponds to the authority of a shop group administrator. If an error is found, the processing is terminated.

In the step S21007, branch processing is performed according to the type of processing which the operator requires. In registration processing, the processes of the steps S21008 and S21009 are performed. In correction processing, the processes of the steps S21010, S21011, and S21012 are performed. In deletion processing, the processes of the steps S21013 and S21014 are performed.

15 In the step S21008 for registration processing, template data to be registered is created.

In the next step S21009, the data created in the step S21008 is registered at the data base 404.

20 In the step S21010 for correction processing, template data to be corrected is inquired of the data base 404.

In the next step S21011, the inquired data is corrected.

In the next step S21012, the corrected data is registered at the data base 404.

25 In the step S21013 for deletion processing, template data to be deleted is inquired of the data base 404.

In the next step S21014, the inquired data is deleted from the data base 404.

When the processing is finished, connection to the data base 404 is disconnected in the step S21015.

5 In the next step S21016, the processing results are reported to related shop administrators.

Template-and-product relation registration/correction processing flow

10 The template-and-product relation registration/correction processing registers, corrects, and deletes data in the template-and-product relation table stored in the data base 404 of the center server 102. This processing is performed with the use of the price registration means 406 stored in the shop computer 405 by operations of a shop group administrator.

The processing flow is the same as the template registration/correction processing flow, described above.

20 Price registration/correction processing flow

The price registration/correction processing registers, corrects, and deletes data in the price table stored in the data base 404 of the center server 102. This processing is performed with the use of the price registration means 406
25 stored in the shop computer 405 by operations of a shop

group administrator. The processing flow is the same as the template registration/correction processing flow, described above.

Printing-order-receive processing flow

Fig. 22 is a flowchart showing a printing-order-receive processing flow. The printing-order-receive processing is performed by the order-receive processing means 402 stored in the center server 102 when the order-receive processing means 402 receives a printing request from the client computer 101. A printing request is sent in the form of a printing order shown in Fig. 18. The printing order includes one or more sub orders, which are generated in units of the types of services which a printing shop offers, and a combination information of a printing-shop designation and the number of sheets to be printed.

When the processing is started, the center server 102 receives a printing order from the client computer 101 in a first step S22001. The center server 102 assigns an order ID to the received printing order and stores the order ID into the data base 404 together with the user ID of the client computer, which is the transmission source.

In the next step S22002, the shop group to which the shop belongs is determined from the printing-shop information specified in the printing order.

In the next step S22003, a template is determined from the shop group determined in the step S22002 and the type of the service specified in the printing order.

In the next step S22004, a price table is searched by a product included in the template and the date when the printing order was issued, and price data is determined.

In the next step S22005, a subtotal is obtained by adding the basic charge to a fee calculated by multiplying the amount charge to the number of ordered sheets, and the subtotal is added to the total charge.

It is determined in the next step S22006 whether calculation for all products included in the template has been finished. If it has not yet been finished, the processing goes back to the step S22004 and the above-described process is repeated.

When it is determined in the step S22006 that calculation for all the products has been finished, the processing proceeds to a step S22007, and it is determined whether the image specified by the printing order is a charged image, described later.

A charged image refers to a copyrighted image, for which the user have to pay a use charge to the copyrighter before its use. When it is determined that it is a charged image, the charge is retrieved from the data base and added to the total charge in a step S22008.

It is determined in the next step S22009 whether calculation for all services included in the order has been finished. When the calculation has not yet been finished, the processing goes back to the step S22003 and the above process is repeated.

When it is determined in the step S22009 that calculation for all the services has been finished, the processing proceeds to a step S22010 and the total charge is reported to the client computer.

In the next step S22011, the center server awaits until it receives a confirmation of acceptance for the total charge from the client computer.

When the total charge is accepted, the printing order stored in the step S22001 is sent together with the user ID to the printing shop specified in the printing order in the next step S22012. The printing shop which receives the printing order performs printing according to the contents of the printing order.

In the next step S22013, the total charge is reported to the printing shop and all processing is finished.

Example of price calculation processing

Price calculation processing is actually performed below as an example with the use of the sample data shown in Fig. 9 to Fig. 13 and Fig. 15 to Fig. 17 and the flowchart

shown in Fig. 22.

Assume that a printing order was received on April 1 in the step S22001 of Fig. 22, in which A4 printing on five A4 sheets and postcard printing on 10 postcards were specified for the printing shop 1. The user ID which uniquely identifies the user of the client computer, the order ID which uniquely specifies the order, and the order itself are stored.

In the next step S22002, it is determined from the shop table shown in Fig. 9 that the shop ID of the printing shop 1 is SP01, and it is also determined from the shop-and-shop-group relation table that the ID of the shop group to which the printing shop 1 belongs is SG01. In addition, it is found from the shop group table shown in Fig. 10 that a shop group ID of SG01 corresponds to the shop group A.

In the step S22003, since the first service of the printing order is A4 printing, it is determined from the service table shown in Fig. 12 that the service ID is SV01, and since the shop group ID is SG01, it is also determined from the template table shown in Fig. 15 that the template ID is T01.

Next, in the step S22004, the template-and-product relation table shown in Fig. 16 is searched by the template ID T01 to determine that T01 is formed of product IDs of P01 and P03. The price table shown in Fig. 17 is searched by

the printing-order date, April 1, and the ID, P01, of the first product to determine a basic charge of 100 yen and an amount charge of 10 yen.

In the next step S22005, a subtotal of 100 yen is added to 10 yen multiplied by 5 sheets to obtain a total charge of 150 yen.

In the next step S22006, it is determined whether calculation for all products has been finished. In the current case, since a template ID of T01 includes a product ID of P03, for which the price is not yet calculated, the processing goes back to the step S22004. In the step S22004, a basic charge of 0 yen and an amount charge of 10 yen are determined from the date, April 1, and a second product ID of P03.

In the next step S22005, a subtotal of 0 yen is added to 10 yen multiplied by 5 sheets to obtain a total of 200 yen.

In the next step S22006, it is determined that calculation for all the products included in a template ID of T01 has been finished.

In the next step S22007, it is determined whether a charged image is included. Assume that the order includes a charged image. In this case, the processing proceeds to a step S22008 and the charge of the charged image is added.

Assuming that the charge of the charged image is 10 yen per

sheet, for example, 10 yen multiplied by 5 sheets is added to obtain a total charge of 250 yen.

In the next step S22009, it is determined whether calculation for all services has been finished. Since the price of postcard printing, which is included in the services of the printing order, has not yet been calculated, the processing goes back to the step S22003.

In the step S22003, since the second service of the printing order is postcard printing and the printing shop belongs to the shop group A, it is determined that the second template is T02.

Next, in the step S22004, it is determined from the printing-order date, April 1, and a first product ID of P02 included in a template ID of T02 that a basic charge is 300 yen and an amount charge is 0 yen.

In the next step S22005, a subtotal of 300 yen is added to 0 yen multiplied by 10 sheets to obtain a total charge of 550 yen.

In the next step S22006, it is determined whether calculation for all products has been finished. In the current case, since a template ID of T02 includes a product ID of P04, for which the price is not yet calculated, the processing goes back to the step S22004.

In the step S22004, a basic charge of 0 yen and an amount charge of 50 yen are determined from the date, April

1, and a second product ID of P04. In the next step S22005, a subtotal of 0 yen is added to 50 yen multiplied by 10 sheets to obtain a total charge of 1050 yen.

In the next step S22006, it is determined that calculation for all the products included in a template ID of T02 has been finished.

In the next step S22007, it is determined whether a charged image is included. Assuming that the order does not include a charged image, the processing proceeds to a step S22009.

In the step S22009, it is determined that calculation for all the services included in the order has been finished.

In the next step S22010, a total charge of 1050 yen is reported to the client computer.

In the next step S22011, the center server awaits until the confirmation of acceptance of the total charge is sent from the client computer.

In the next step S22012, the printing order stored in the step S22001 is sent together with the user ID to the printing shop specified in the printing order. The printing shop which receives the printing order performs printing according to the contents of the printing order.

In the next step S22013, the total charge is reported to the printing shop.

Price registration and price calculation processing for each printing shop

Price registration and price calculation processing for each printing shop is a variation of the printing-order-receive processing, described by referring to Fig. 22, in the system in the present embodiment. A processing flow for setting independent prices in a printing shop will be described.

In the system in the present embodiment, a shop group administrator collectively specifies a price table in order to apply it to all printing shops in the group. The shop group administrator or a shop administrator may further specify prices for each printing shop. The price registration and price calculation processing for each printing shop is, for example, used for price settings corresponding to a special sale in a particular printing shop for a limited period.

Fig. 23 is a shop price table indicating prices for each printing shop. It has a format in which the shop group ID row in the price table described by referring to Fig. 17 is replaced with a shop ID, and includes shop IDs 23001, product IDs 23002, valid periods 23003, basic charges 23004, and amount charges 23005.

Each row in the price table corresponds to a price data item registered for a printing shop. In Fig. 23, four data

items 23011, 23012, 23013, and 23014 are registered as examples.

5 The price registration processing for each printing shop is performed by a shop group administrator or a shop administrator who is allowed by the shop group administrator after the template and price registration processing for each printing shop shown in Fig. 20 is finished. In the system in the present embodiment, when the shop group administrator allows a shop administrator to perform this operation, a limited range of correction for price settings may be specified.

10 The price registration processing for each printing shop registers data at the shop price table stored in the data base 404 of the center server 102. This processing is performed with the use of the price registration means 406 stored in the shop computer 405 by operations of a shop group administrator or a shop administrator. A registration processing flow will be described below by referring to the flowchart shown in Fig. 21.

20 When the processing is started, it is determined in the step S21001 whether the data base 404 of the center server 102 has been connected. If it is not yet connected, connection is made in the step S20002.

25 In the next step S21003, it is determined whether user authentication has been finished for the operator. If it

has not yet been finished, user-authentication processing is performed in the following steps S21004, S21005, and S21006.

In the step S21004, the operator is asked to input the user ID and the password.

5 In the next step S21005, the input user ID and the password are verified with the user table shown in Fig. 5 and it is checked that the user ID positively exists and it is not abused. If an error is found, the processing is terminated.

In the next step S21006, the input user ID is verified with the user-and-user-rank relation table shown in Fig. 7 to check that the user ID corresponds to the authority of a shop group administrator or a shop administrator. If an error is found, the processing is terminated.

10 In the step S21007, branch processing is performed according to the type of processing which the operator requires. In registration processing, the processes of the steps S21008 and S21009 are performed. In correction processing, the processes of the steps S21010, S21011, and
20 S21012 are performed. In deletion processing, the processes of the steps S21013 and S21014 are performed.

In the step S21008 for registration processing, price data for a printing shop is created. When a shop administrator performs this processing, whether the
25 operation is allowed and whether a set price falls in the

allowed limited range are checked. If the operation is not allowed, the processing is terminated. If a set price exceeds the allowed limited range, an alarm is issued so as to remind the operator to set a price within the limited range.

In the next step S21009, the created data is registered at the data base 404.

In the step S21010 for correction processing, data to be corrected is inquired of the data base 404.

In the next step S21011, the inquired data is corrected. When a shop administrator performs this processing, whether the operation is allowed and whether a set price falls in the allowed limited range are checked. If the operation is not allowed, the processing is terminated. If a set price exceeds the allowed limited range, an alarm is issued so as to remind the operator to set a price within the limited range.

In the next step S21012, the corrected data is registered at the data base 404.

In the step S21013 for deletion processing, data to be deleted is inquired of the data base 404.

In the next step S21014, when the operator is a shop administrator, whether the operation is allowed is checked. If the operation is not allowed, the processing is terminated. Otherwise, the inquired data is deleted from

the data base 404.

When the above processing is finished, connection to the data base 404 is disconnected in the step S21015.

In the next step S21016, the processing results are reported to related persons.

Fig. 24 is a flowchart showing a price calculation processing for a printing shop. In Fig. 24, a step S24004 indicates the contents of a process to be performed instead of the price calculation processing step S22004 shown in Fig. 22.

When the price calculation processing for a printing shop is started, the shop price table is searched by the date when the printing order is issued, a shop ID, and a product ID included in a template to check whether data exists, in a first step S240041.

When it is found in this checking that data exists, the processing proceeds to a step S240042 to apply the data in the shop price table.

When it is found in the checking of the step S240041 that data does not exist, the processing proceeds to a step S240043 to apply data in the price table registered for each shop group.

Price registration and price calculation processing for the number or ordered sheets

Price registration and price calculation processing for the number of ordered sheets is a variation of the printing-order-receive processing, described by referring to Fig. 22, in the system in the present embodiment. A processing flow for setting a price for the number of ordered sheets will be described. This price registration and price calculation processing for the number of ordered sheets is used for price settings in a case in which discount is applied as the number of ordered sheets increases.

Fig. 25 is a price table indicating prices for the numbers of ordered sheets. The price table described by referring to Fig. 17 is extended so that data can be registered for the numbers of ordered sheets. The price table shown in Fig. 25 includes shop IDs 25001, product IDs 25002, valid periods 25003, basic charges 25004, amount charges 25005, and ordered sheet counts 25006.

Each row in the price table corresponds to a price data item registered for an ordered sheet count. In Fig. 25, four data items 25011, 25012, 25013, and 25014 are registered as examples.

The data item 25013 shows charges for an ordered-sheet-count range of 100 to 199, the data item 25014 shows charges for an ordered-sheet-count range of 200 to 299, and the data item 25015 shows charges for an ordered-sheet-count range of 300 or more. The data items 25011 and 25012 have blank

ordered-sheet-count cells, and show out of a set-sheet-count range and no sheet count setting, respectively.

5 The price registration processing for an ordered sheet count is performed by a shop group administrator after the template and price registration processing for each printing shop shown in Fig. 20 is finished. The price registration processing for an ordered sheet count registers data at the shop price table stored in the data base 404 of the center server 102. This processing is performed with the use of the price registration means 406 stored in the shop computer 405 by operations of the shop group administrator. A registration processing flow will be described below by referring to the flowchart shown in Fig. 21.

15 When the price registration processing for an ordered sheet count is started, it is determined in the first step S21001 whether the data base 404 of the center server 102 has been connected. If it is not yet connected, connection is made in the step S20002.

20 In the next step S21003, it is determined whether user authentication has been finished for the operator. If it has not yet been finished, user-authentication processing is performed in the following steps S21004, S21005, and S21006.

More specifically, in the step S21004, the operator is asked to input the user ID and the password.

25 In the next step S21005, the input user ID and the

password are verified with the user table shown in Fig. 5 and it is checked that the user ID positively exists and it is not abused. If an error is found, the processing is terminated.

5 In the next step S21006, the input user ID is verified with the user-and-user-rank relation table shown in Fig. 7 to check that the user ID corresponds to the authority of a shop group administrator. If an error is found, the processing is terminated.

10 When it is determined in the step S21006 that the operator has the authority of a shop group administrator, the processing proceeds to the step S21007. In the step S21007, branch processing is performed according to the type of processing which the operator requires. In registration processing, the processes of the steps S21008 and S21009 are performed. In correction processing, the processes of the steps S21010, S21011, and S21012 are performed. In deletion processing, the processes of the steps S21013 and S21014 are performed.

20 In the step S21008 for registration processing, price data for an ordered sheet count is created.

 In the next step S21009, the created data is registered at the data base 404.

25 In the step S21010, data to be corrected is inquired of the data base 404.

In the next step S21011 for correction processing, the inquired data is corrected.

In the next step S21012, the corrected data is registered at the data base 404.

5 In the step S21013 for deletion processing, data to be deleted is inquired of the data base 404.

In the next step S21014, the inquired data is deleted from the data base 404.

When the above processing is finished, connection to the data base 404 is disconnected in the step S21015.

In the next step S21016, the processing results are reported to related shop administrators and all processing is finished.

Fig. 26 is a flowchart showing a price calculation processing for an ordered sheet count. In Fig. 26, a step S26004 is performed instead of the price calculation processing step S22004 shown in Fig. 22.

20 In a first step S260041, the price table is searched by the date when the printing order is issued, a shop group ID, an ordered sheet count, and a product ID included in a template to check whether data exists.

When it is found in this checking that data exists, the processing proceeds to a step S260042 to apply the data registered for an ordered sheet count.

25 When data does not exist, data which is not specified

for an ordered sheet count is applied in a step S260043.

The processing shown in the present embodiment is mainly performed by the CPU 1001 with the use of each function means formed of a program stored in the program ROM 1003. For one or more groups each of which is formed of a plurality of shops, the accounting information of services which all shops included in the group(s) can offer is stored in the RAM 1002. A program for implementing a function of calculating a charge for a certain service according to the accounting information is stored in the program ROM 1003.

The above program is not necessarily stored in the ROM 1003. It may be stored in an external memory card. In other words, the objects of the present invention are also achieved in a configuration in which a storage medium storing the program code of software which implements the function described above in the present embodiment is supplied to a system or an apparatus and an information processing unit (or CPU) of the system or the apparatus reads the program code stored in the storage medium and executes it.

In this case, since the program code itself read from the storage medium implements the function described in the present embodiment, the storage medium storing the program code is a part of the present invention.

As storage media for supplying the program code, floppy

disks, hard disks, optical disks, magneto-optical disks, CD-ROMs, CD-Rs, magnetic tapes, nonvolatile memory cards, ROMs, and DVDs are used.

5 In addition to a case in which the program code read by the computer is executed to implement the function described in the present embodiment, the present invention includes a case in which an operating system (OS) running on an information processing apparatus performs a part or the whole of actual processing according to the designation of the program code and the function described in the present embodiment is implemented by the processing.

10 The present invention also includes a case in which the program code read from a storage medium is written into a memory provided for a function extension board inserted into an information processing apparatus or a function extension unit connected to an information processing apparatus, the CPU provided for the function extension board or the function extension unit performs a part or the whole of actual processing according to the designation of the program code, and the function described in the present embodiment is implemented by the processing.

20 As described above, according to the embodiment of the present invention, the accounting information of the services which each of a plurality of shops having different price rules can offer is easily, flexibly, and collectively

25

managed.

In addition, according to the present invention, the accounting information of a shop(s) which can offer a certain service among a plurality of shops having different price rules is collectively or independently specified or changed.

5

11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100
101
102
103
104
105
106
107
108
109
110
111
112
113
114
115
116
117
118
119
120
121
122
123
124
125
126
127
128
129
130
131
132
133
134
135
136
137
138
139
140
141
142
143
144
145
146
147
148
149
150
151
152
153
154
155
156
157
158
159
160
161
162
163
164
165
166
167
168
169
170
171
172
173
174
175
176
177
178
179
180
181
182
183
184
185
186
187
188
189
190
191
192
193
194
195
196
197
198
199
200
201
202
203
204
205
206
207
208
209
210
211
212
213
214
215
216
217
218
219
220
221
222
223
224
225
226
227
228
229
230
231
232
233
234
235
236
237
238
239
240
241
242
243
244
245
246
247
248
249
250
251
252
253
254
255
256
257
258
259
260
261
262
263
264
265
266
267
268
269
270
271
272
273
274
275
276
277
278
279
280
281
282
283
284
285
286
287
288
289
290
291
292
293
294
295
296
297
298
299
300
301
302
303
304
305
306
307
308
309
310
311
312
313
314
315
316
317
318
319
320
321
322
323
324
325
326
327
328
329
330
331
332
333
334
335
336
337
338
339
340
341
342
343
344
345
346
347
348
349
350
351
352
353
354
355
356
357
358
359
360
361
362
363
364
365
366
367
368
369
370
371
372
373
374
375
376
377
378
379
380
381
382
383
384
385
386
387
388
389
390
391
392
393
394
395
396
397
398
399
400
401
402
403
404
405
406
407
408
409
410
411
412
413
414
415
416
417
418
419
420
421
422
423
424
425
426
427
428
429
430
431
432
433
434
435
436
437
438
439
440
441
442
443
444
445
446
447
448
449
450
451
452
453
454
455
456
457
458
459
460
461
462
463
464
465
466
467
468
469
470
471
472
473
474
475
476
477
478
479
480
481
482
483
484
485
486
487
488
489
490
491
492
493
494
495
496
497
498
499
500
501
502
503
504
505
506
507
508
509
510
511
512
513
514
515
516
517
518
519
520
521
522
523
524
525
526
527
528
529
530
531
532
533
534
535
536
537
538
539
540
541
542
543
544
545
546
547
548
549
550
551
552
553
554
555
556
557
558
559
560
561
562
563
564
565
566
567
568
569
570
571
572
573
574
575
576
577
578
579
580
581
582
583
584
585
586
587
588
589
590
591
592
593
594
595
596
597
598
599
600
601
602
603
604
605
606
607
608
609
610
611
612
613
614
615
616
617
618
619
620
621
622
623
624
625
626
627
628
629
630
631
632
633
634
635
636
637
638
639
640
641
642
643
644
645
646
647
648
649
650
651
652
653
654
655
656
657
658
659
660
661
662
663
664
665
666
667
668
669
670
671
672
673
674
675
676
677
678
679
680
681
682
683
684
685
686
687
688
689
690
691
692
693
694
695
696
697
698
699
700
701
702
703
704
705
706
707
708
709
710
711
712
713
714
715
716
717
718
719
720
721
722
723
724
725
726
727
728
729
730
731
732
733
734
735
736
737
738
739
740
741
742
743
744
745
746
747
748
749
750
751
752
753
754
755
756
757
758
759
760
761
762
763
764
765
766
767
768
769
770
771
772
773
774
775
776
777
778
779
780
781
782
783
784
785
786
787
788
789
790
791
792
793
794
795
796
797
798
799
800
801
802
803
804
805
806
807
808
809
810
811
812
813
814
815
816
817
818
819
820
821
822
823
824
825
826
827
828
829
830
831
832
833
834
835
836
837
838
839
840
841
842
843
844
845
846
847
848
849
850
851
852
853
854
855
856
857
858
859
860
861
862
863
864
865
866
867
868
869
870
871
872
873
874
875
876
877
878
879
880
881
882
883
884
885
886
887
888
889
890
891
892
893
894
895
896
897
898
899
900
901
902
903
904
905
906
907
908
909
910
911
912
913
914
915
916
917
918
919
920
921
922
923
924
925
926
927
928
929
930
931
932
933
934
935
936
937
938
939
940
941
942
943
944
945
946
947
948
949
950
951
952
953
954
955
956
957
958
959
960
961
962
963
964
965
966
967
968
969
970
971
972
973
974
975
976
977
978
979
980
981
982
983
984
985
986
987
988
989
990
991
992
993
994
995
996
997
998
999
1000
1001
1002
1003
1004
1005
1006
1007
1008
1009
1010
1011
1012
1013
1014
1015
1016
1017
1018
1019
1020
1021
1022
1023
1024
1025
1026
1027
1028
1029
1030
1031
1032
1033
1034
1035
1036
1037
1038
1039
1040
1041
1042
1043
1044
1045
1046
1047
1048
1049
1050
1051
1052
1053
1054
1055
1056
1057
1058
1059
1060
1061
1062
1063
1064
1065
1066
1067
1068
1069
1070
1071
1072
1073
1074
1075
1076
1077
1078
1079
1080
1081
1082
1083
1084
1085
1086
1087
1088
1089
1090
1091
1092
1093
1094
1095
1096
1097
1098
1099
1100
1101
1102
1103
1104
1105
1106
1107
1108
1109
1110
1111
1112
1113
1114
1115
1116
1117
1118
1119
1120
1121
1122
1123
1124
1125
1126
1127
1128
1129
1130
1131
1132
1133
1134
1135
1136
1137
1138
1139
1140
1141
1142
1143
1144
1145
1146
1147
1148
1149
1150
1151
1152
1153
1154
1155
1156
1157
1158
1159
1160
1161
1162
1163
1164
1165
1166
1167
1168
1169
1170
1171
1172
1173
1174
1175
1176
1177
1178
1179
1180
1181
1182
1183
1184
1185
1186
1187
1188
1189
1190
1191
1192
1193
1194
1195
1196
1197
1198
1199
1200
1201
1202
1203
1204
1205
1206
1207
1208
1209
1210
1211
1212
1213
1214
1215
1216
1217
1218
1219
1220
1221
1222
1223
1224
1225
1226
1227
1228
1229
1230
1231
1232
1233
1234
1235
1236
1237
1238
1239
1240
1241
1242
1243
1244
1245
1246
1247
1248
1249
1250
1251
1252
1253
1254
1255
1256
1257
1258
1259
1260
1261
1262
1263
1264
1265
1266
1267
1268
1269
1270
1271
1272
1273
1274
1275
1276
1277
1278
1279
1280
1281
1282
1283
1284
1285
1286
1287
1288
1289
1290
1291
1292
1293
1294
1295
1296
1297
1298
1299
1300
1301
1302
1303
1304
1305
1306
1307
1308
1309
1310
1311
1312
1313
1314
1315
1316
1317
1318
1319
1320
1321
1322
1323
1324
1325
1326
1327
1328
1329
1330
1331
1332
1333
1334
1335
1336
1337
1338
1339
1340
1341
1342
1343
1344
1345
1346
1347
1348
1349
1350
1351
1352
1353
1354
1355
1356
1357
1358
1359
1360
1361
1362
1363
1364
1365
1366
1367
1368
1369
1370
1371
1372
1373
1374
1375
1376
1377
1378
1379
1380
1381
1382
1383
1384
1385
1386
1387
1388
1389
1390
1391
1392
1393
1394
1395
1396
1397
1398
1399
1400
1401
1402
1403
1404
1405
1406
1407
1408
1409
1410
1411
1412
1413
1414
1415
1416
1417
1418
1419
1420
1421
1422
1423
1424
1425
1426
1427
1428
1429
1430
1431
1432
1433
1434
1435
1436
1437
1438
1439
1440
1441
1442
1443
1444
1445
1446
1447
1448
1449
1450
1451
1452
1453
1454
1455
1456
1457
1458
1459
1460
1461
1462
1463
1464
1465
1466
1467
1468
1469
1470
1471
1472
1473
1474
1475
1476
1477
1478
1479
1480
1481
1482
1483
1484
1485
1486
1487
1488
1489
1490
1491
1492
1493
1494
1495
1496
1497
1498
1499
1500
1501
1502
1503
1504
1505
1506
1507
1508
1509
1510
1511
1512
1513
1514
1515
1516
1517
1518
1519
1520
1521
1522
1523
1524
1525
1526
1527
1528
1529
1530
1531
1532
1533
1534
1535
1536
1537
1538
1539
1540
1541
1542
1543
1544
1545
1546
1547
1548
1549
1550
1551
1552
1553
1554
1555
1556
1557
1558
1559
1560
1561
1562
1563
1564
1565
1566
1567
1568
1569
1570
1571
1572
1573
1574
1575
1576
1577
1578
1579
1580
1581
1582
1583
1584
1585
1586
1587
1588
1589
1590
1591
1592
1593
1594
1595
1596
1597
1598
1599
1600
1601
1602
1603
1604
1605
1606
1607
1608
1609
1610
1611
1612
1613
1614
1615
1616
1617
1618
1619
1620
1621
1622
1623
1624
1625
1626
1627
1628
1629
1630
1631
1632
1633
1634
1635
1636
1637
1638
1639
1640
1641
1642
1643
1644
1645
1646
1647
1648
1649
1650
1651
1652
1653
1654
1655
1656
1657
1658
1659
1660
1661
1662
1663
1664
1665
1666
1667
1668
1669
1670
1671
1672
1673
1674
1675
1676
1677
1678
1679
1680
1681
1682
1683
1684
1685
1686
1687
1688
1689
1690
1691
1692
1693
1694
1695
1696
1697
1698
1699
1700
1701
1702
1703
1704
1705
1706
1707
1708
1709
1710
1711
1712
1713
1714
1715
1716
1717
1718
1719
1720
1721
1722
1723
1724
1725
1726
1727
1728
1729
1730
1731
1732
1733
1734
1735
1736
1737
1738
1739
1740
1741
1742
1743
1744
1745
1746
1747
1748
1749
1750
1751
1752
1753
1754
1755
1756
1757
1758
1759
1760
1761
1762
1763
1764
1765
1766
1767
1768
1769
1770
1771
1772
1773
1774
1775
1776
1777
1778
1779
1780
1781
1782
1783
1784
1785
1786
1787
1788
1789
1790
1791
1792
1793
1794
1795
1796
1797
1798
1799
1800
1801
1802
1803
1804
1805
1806
1807
1808
1809
1810
1811
1812
1813
1814
1815
1816
1817
1818
1819
1820
1821
1822
1823
1824
1825
1826
1827
1828
1829
1830
1831
1832
1833
1834
1835
1836
1837
1838
1839
1840
1841
1842
1843
1844
1845
1846
1847
1848
1849
1850
1851
1852
1853
1854
1855
1856
1857
1858
1859
1860
1861
1862
1863
1864
1865
1866
1867
1868
1869
1870
1871
1872
1873
1874
1875
1876
1877
1878
1879
1880
1881
1882
1883
1884
1885
1886
1887
1888
1889
1890
1891
1892
1893
1894
1895
1896
1897
1898
1899
1900
1901
1902
1903
1904
1905
1906
1907
1908
1909
1910
1911
1912
1913
1914
1915
1916
1917
1918
1919
1920
1921
1922
1923
1924
1925
1926
1927
1928
1929
1930
1931
1932
1933
1934
1935
1936
1937
1938
1939
1940
1941
1942
1943
1944
1945
1946
1947
1948
1949
1950
1951
1952
1953
1954
1955
1956
1957
1958
1959
1960
1961
1962
1963
1964
1965
1966
1967
1968
1969
1970
1971
1972
1973
1974
1975
1976
1977
1978
1979
1980
1981
1982
1983
1984
1985
1986
1987
1988
1989
1990
1991
1992
1993
1994
1995
1996
1997
1998
1999
2000
2001
2002
2003
2004
2005
2006
2007
2008
2009
2010
2011
2012
2013
2014
2015
2016
2017
2018
2019
2020
2021
2022
2023
2024
2025
2026
2027
2028
2029
2030
2031
2032
2033
2034
2035
2036
2037
2038
2039
2040
2041
2042
2043
2044
2045
2046
2047
2048
2049
2050
2051
2052
2053
2054
2055
2056
2057
2058
2059
2060
2061
2062
2063
2064
2065
2066
2067
2068
2069
2070
2071
2072
2073
2074
2075
2076
2077
2078
2079
2080
2081
2082
2083
2084
2085
2086
2087
2088
2089
2090
2091
2092
2093
2094
2095
2096
2097
2098
2099
2100
2101
2102
2103
2104
2105
2106
2107
2108
2109
2110
2111
2112
2113
2114
2115
2116
2117
2118
2119
2120
2121
2122
2123
2124
2125
2126
2127
2128
2129
2130
2131
2132
2133
2134
2135
2136
2137
2138
2139
2140
2141
2142
2143
2144
2145
2146
2147
2148
2149
2150
2151
2152
2153
2154
2155
2156
2157
2158
2159
2160
2161
2162
2163
2164
2165
2166
2167
2168
2169
2170
2171
2172
2173
2174
2175
2176
2177
2178
2179
2180
2181
2182
2183
2184
2185
2186
2187
2188
2189
2190
2191
2192
2193
2194
2195
2196
2197
2198
2199
2200
2201
2202
2203
2204
2205
2206
2207
2208
2209
2210
2211
2212
2213
2214
2215
2216
2217
2218
2219
2220

WHAT IS CLAIMED IS:

1. An information processing system comprising:
a first information processing apparatus comprising:
group information management means for managing information related to one or more groups each of which is formed of a plurality of shops; and
accounting information storage means for storing the accounting information of a service which all shops included in the one or more groups can offer, and
a second information processing apparatus comprising accounting information management means for setting or changing the accounting information of the service stored in said accounting information storage means.
2. An information processing system according to Claim 1, wherein said group information management means manages a combination of shops which can offer a certain service among the plurality of shops.
3. An information processing system according to Claim 1, wherein said group information management means manages at least one of the ID information of each group, the name of each group, the administrator of each group, the password of the administrator of each group, the ID information of

all shops included in each group, the names of all the shops included in each group, the administrators of all the shops included in each group, and the password of the administrator of each shop.

4. An information processing system according to Claim 3, wherein said group information management means registers, corrects, and deletes information related to the group.

5. An information processing system according to Claim 4, wherein said group information management means allows only the administrator of the information processing system to manage the information related to the group.

6. An information processing system according to Claim 1, wherein said first information processing apparatus reports the processing performed by the use of said group information management means to the administrators of a group and a shop related to the processing.

7. An information processing system according to Claim 1, wherein said accounting information management means sets or changes the accounting information of a service which each group can offer and the accounting information of one or more products constituting the service.

8. An information processing system according to Claim 1, wherein said accounting information management means can set accounting information unique to a shop for a service which each group can offer.

9. An information processing system according to Claim 8, wherein said accounting information management means gives priority to the accounting information of a service uniquely specified for a certain shop over the accounting information of a service which a group including the shop can offer.

10. An information processing system according to Claim 1, wherein said accounting information management means corrects and deletes the accounting information of the service and registers the accounting information of a service which the group newly offers.

11. An information processing system according to Claim 1, wherein said accounting information management means allows the administrator of a certain group who manages the accounting information of a service which the group can offer or the administrator of a certain shop included in the group who manages the accounting information

of a service which the shop can offer to set or change the accounting information of the service.

12. An information processing system according to Claim 11, wherein the shop administrator can set accounting information unique to the shop for a service which a certain group can offer, within a range allowed by the group administrator.

13. An information processing system according to Claim 1, wherein said second information processing apparatus reports the setting and change made by the group administrator to the administrator of a shop included in the group which the group administrator manages.

14. An information processing system according to Claim 12, wherein said second information processing apparatus reports the setting and change made by the shop administrator to the administrator of a group to which the shop which the shop administrator manages belongs.

15. An information processing system according to Claim 1, wherein the accounting information of the service is formed of a basic charge and an amount charge.

16. An information processing system according to Claim 1, wherein the accounting information of the service varies according to a period or an amount to be processed.

17. An information processing system according to Claim 1, wherein a shop included in the group can offer a service other than the service which all shops included in the group can offer.

18. An information processing system according to Claim 1, wherein the service is formed of one or more products.

19. An information processing system according to Claim 1, wherein the service makes one or more prints of a certain image.

20. An information processing system according to Claim 1, wherein said information processing system includes a local area network or the Internet.

21. An information processing system according to Claim 1, wherein said first information processing apparatus further comprises service processing means for receiving an order of the service and processing the service.

22. An information processing apparatus comprising:
group information management means for managing
information related to one or more groups each of which is
formed of a plurality of shops; and
accounting information storage means for storing the
accounting information of a service which all shops included
in the one or more groups can offer.

23. An information processing apparatus comprising:
accounting information management means for setting or
changing the accounting information of a service which all
shops included in a certain group can offer; and
control means for controlling such that the accounting
information of the service, set or changed by the use of
said accounting information management means is stored in an
external unit.

24. An information processing method comprising the
steps of:
managing information related to one or more groups each
of which is formed of a plurality of shops;
storing the accounting information of a service which
all shops included in the one or more groups can offer; and
setting or changing the accounting information of the

service which all the shops included in the one or more groups can offer.

25. A computer readable memory storing a program, the program comprising the steps of:

managing information related to one or more groups each of which is formed of a plurality of shops;

storing the accounting information of a service which all shops included in the one or more groups can offer; and

setting or changing the accounting information of the service which all the shops included in the one or more groups can offer.

26. An information processing system comprising:

a first information processing apparatus comprising an order-issue means for ordering a certain service; and

a second information processing apparatus comprising:

accounting information storage means for storing the accounting information of a service which all shops included in one or more groups each of which is formed of a plurality of shops can offer; and

charge calculation means for calculating the charge for a certain service ordered by said order-issue means, according to the accounting information stored in said accounting information storage means.

27. An information processing system according to Claim 26, wherein said order-issue means orders the certain service from a certain shop included in the one or more groups.

28. An information processing system according to Claim 26, wherein said second information processing apparatus reports the calculation result of said charge calculation means to said first information processing apparatus or a shop specified by said order-issue means.

29. An information processing system according to Claim 26, wherein the certain service is formed of one or more products.

30. An information processing system according to Claim 26, wherein said charge calculation means calculates the charge for the certain service according to the accounting information of one or more products constituting the certain service.

31. An information processing system according to Claim 26, wherein the accounting information of the certain service is formed of a basic charge and an amount charge.

32. An information processing system according to Claim 26, wherein the accounting information of the certain service varies according to a period or an amount to be processed.

33. An information processing system according to Claim 26, wherein the certain service makes at least one or more prints of a certain image.

34. An information processing system according to Claim 26, wherein said first information processing apparatus is connected to said second information processing apparatus via a local area network or the Internet.

35. An information processing apparatus comprising:
accounting information storage means for storing the accounting information of a service which a shop included in one or more groups each of which is formed of a plurality of shops can offer; and

charge calculation means for calculating the charge for a certain service according to the accounting information stored in said accounting information storage means.

36. An information processing method comprising the

steps of:

storing the accounting information of a service which all shops included in one or more groups each of which is formed of a plurality of shops can offer; and

calculating the charge for a certain service according to the stored accounting information.

37. A computer readable memory storing a program, the program comprising the steps of:

storing the accounting information of a service which all shops included in one or more groups each of which is formed of a plurality of shops can offer; and

calculating the charge for a certain service according to the stored accounting information.

38. An information processing system comprising:

a first information processing apparatus comprising:

accounting information storage means for storing the accounting information of a service which a shop included in one or more groups each of which is formed of a plurality of shops can offer; and

authentication means for authenticating the operations of a certain administrator, and

a second information processing apparatus comprising accounting information management means for managing the

accounting information of a service which each group can offer, stored in said accounting information storage means, according to the authentication result of said authentication means.

39. An information processing system according to Claim 38, wherein said accounting information storage means stores the accounting information of a service which a shop included in the one or more groups can offer, and the accounting information of one or more products constituting the service.

40. An information processing system according to Claim 38, wherein said accounting information storage means stores the accounting information of a service which a shop included in the one or more groups can offer, and the accounting information unique to each shop of the service.

41. An information processing system according to Claim 38, wherein said accounting information management means manages the accounting information of a service which all shops included in each group can offer, and the accounting information of one or more products constituting the service.

42. An information processing system according to Claim 38, wherein said accounting information management means corrects and deletes a service which each group can offer, and registers the accounting information of a service newly offered by the group.

43. An information processing system according to Claim 38, wherein said authentication means authenticates the operations of the certain administrator and allows only the certain administrator to manage the accounting information of the service.

44. An information processing system according to Claim 38, wherein said authentication means allows a group administrator who manages the accounting information of a service which a certain group can offer, or the administrator of a certain shop included in each group who manages the accounting information of a service which the shop can offer to manage the accounting information of the service.

45. An information processing system according to Claim 44, wherein the administrator of the shop can set the accounting information unique to the shop of a service which a certain group can offer, within a range allowed by the

group administrator.

46. An information processing system according to Claim 45, wherein said second information processing apparatus reports the management performed by the group administrator to the administrator of a shop included in the group which the group administrator manages.

47. An information processing system according to Claim 45, wherein said second information processing apparatus reports the management performed by the shop administrator to the administrator of the group to which the shop which the shop administrator manages belongs.

48. An information processing system according to Claim 38, wherein the accounting information of the service is formed of a basic charge and an amount charge.

49. An information processing system according to Claim 38, wherein the accounting information of the service varies according to a period or an amount to be processed.

50. An information processing system according to Claim 38, wherein a shop included in the group can offer a service other than a service which all shops included in the

group can offer.

51. An information processing system according to Claim 38, wherein the service makes one or more prints of a certain image.

52. An information processing system according to Claim 38, wherein said information processing system includes a local area network or the Internet.

53. An information processing system according to Claim 38, wherein said first information processing apparatus further comprises charge calculation means for calculating the charge of a certain service according to the service accounting information stored in said accounting information storage means.

54. An information processing system according to Claim 38, wherein, when the accounting information unique to a shop included in the group is set, said charge calculation means gives priority to the accounting information unique to the shop over the accounting information of a service which the group can offer.

55. An information processing apparatus comprising:

accounting information storage means for storing the accounting information of a service which all shops included in one or more groups each of which is formed of a plurality of shops can offer; and

authentication means for authenticating the user who operates the accounting information of a service which each group can offer, stored in said accounting information storage means.

56. An information processing apparatus comprising:

accounting information management means for managing the accounting information of a service which a certain group can offer; and

control means for controlling such that the accounting information of the service, updated by the use of said accounting information management means is stored in an external unit according to the authentication result of the user who operates said accounting information management means.

57. An information processing method comprising the steps of:

storing the accounting information of a service which all shops included in one or more groups each of which is formed of a plurality of shops can offer;

authenticating the operations of a certain administrator; and

managing the accounting information of a service which each group can offer, according to the authentication result.

58. A computer readable memory storing a program, the program comprising the steps of:

storing the accounting information of a service which all shops included in one or more groups each of which is formed of a plurality of shops can offer;

authenticating the operations of a certain administrator; and

managing the accounting information of a service which each group can offer, according to the authentication result.

ABSTRACT OF THE DISCLOSURE

An information processing system includes a first information processing apparatus formed of a group information management module for managing information related to one or more groups each of which is formed of a plurality of shops; and an accounting information storage module for storing the accounting information of a service which all shops included in the one or more groups can offer, and a second information processing apparatus formed of an accounting information management module for setting or changing the accounting information of the service stored in the accounting information storage module.

FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5

	501	502	503
	USER ID	USER NAME	PASSWORD
511	U001	USER 1	* * *
512	U002	USER 2	* * *
513	U003	USER 3	* * *
514	U004	USER 4	* * *
515	U005	USER 5	* * *

FIG. 6

	601	602
	USER RANK	AUTHORITY NAME
611	RANK-A	CENTER SERVER ADMINISTRATOR
612	RANK-B	SHOP GROUP ADMINISTRATOR
613	RANK-C	SHOP ADMINISTRATOR
614	RANK-D	GENERAL USER

FIG. 7

	701	702
	USER ID	USER RANK
711	U001	RANK-B
712	U002	RANK-C
713	U003	RANK-B
714	U004	RANK-C
715	U005	RANK-A

FIG. 8




FIG. 9

	901	902	903
	SHOP ID	SHOP NAME	SHOP ADMINISTRATOR
911	SP01	PRINTING SHOP 1	U001
912	SP02	PRINTING SHOP 2	U002
913	SP03	PRINTING SHOP 3	U003
914	SP04	PRINTING SHOP 4	U004

FIG. 10

	10001	10002	10003
	SHOP GROUP ID	SHOP GROUP NAME	SHOP GROUP ADMINISTRATOR
10011	SG01	SHOP GROUP A	U001
10012	SG02	SHOP GROUP B	U003

FIG. 11

	11001	11002
	SHOP GROUP ID	SHOP ID
11011	SG01	SP01
11012	SG01	SP02
11013	SG02	SP03
11014	SG02	SP04

FIG. 12

	12001	12002
	SERVICE ID	SERVICE NAME
12011	SV01	A4 PRINTING
12012	SV02	POSTCARD PRINTING
12013	SV03	STICKER PRINTING

FIG. 13

	13001	13002
	PRODUCT ID	PRODUCT NAME
13011	P01	CHARGE 1
13012	P02	CHARGE 2
13013	P03	A4 SHEET CHARGE
13014	P04	POSTCARD CHARGE
13015	P05	STICKER CHARGE

FIG. 14




FIG. 15

	15001	15002	15003	15004
	TEMPLATE ID	SERVICE ID	TEMPLATE NAME	SHOP GROUP ID
15011	T01	SV01	TEMPLATE 1	SG01
15012	T02	SV02	TEMPLATE 2	SG01
15013	T03	SV01	TEMPLATE 3	SG02
15014	T04	SV03	TEMPLATE 4	SG01

FIG. 16

	16001	16002
	TEMPLATE ID	PRODUCT ID
16011	T01	P01
16012	T01	P03
16013	T02	P02
16014	T02	P04
16015	T03	P03
16016	T04	P02
16017	T04	P05

FIG. 17

	17001	17002	17003	17004	17005
	SHOP GROUP ID	PRODUCT ID	VALID PERIOD	BASIC CHARGE	AMOUNT CHARGE
17011	SG01	P01	4/1 ~ 7/31	100 YEN	10 YEN
17012	SG01	P01	8/1 ~	110 YEN	10 YEN
17013	SG01	P02	4/1 ~ 7/31	300 YEN	0 YEN
17014	SG01	P02	8/1 ~	320 YEN	0 YEN
17015	SG01	P03	4/1 ~ 7/31	0 YEN	10 YEN
17016	SG01	P03	8/1 ~	0 YEN	12 YEN
17017	SG01	P04	4/1 ~ 7/31	0 YEN	50 YEN
17018	SG01	P04	8/1 ~	0 YEN	55 YEN
17019	SG01	P05	4/1 ~ 7/31	0 YEN	80 YEN
17020	SG01	P05	8/1 ~	0 YEN	90 YEN
17021	SG02	P03	4/1 ~ 5/31	0 YEN	15 YEN
17022	SG02	P03	6/1 ~	0 YEN	16 YEN
17023	SG COMMON	P01	1/1 ~	100 YEN	10 YEN
17024	SG COMMON	P02	1/1 ~	200 YEN	20 YEN
17025	SG COMMON	P03	1/1 ~	0 YEN	5 YEN
17026	SG COMMON	P04	1/1 ~	0 YEN	50 YEN
17027	SG COMMON	P05	1/1 ~	0 YEN	80 YEN

FIG. 18




FIG. 19




FIG. 20





FIG. 21



START

FIG. 22




FIG. 23

	23001 /	23002 /	23003 /	23004 /	23005 /
	SHOP ID	PRODUCT ID	VALID PERIOD	BASIC CHARGE	AMOUNT GHARGE
23011	SP01	P01	4/1 ~ 7/31	100 YEN	8 YEN
23012	SP01	P01	8/1 ~	110 YEN	8 YEN
23013	SP03	P03	4/1 ~ 5/31	0 YEN	10 YEN
23014	SP03	P03	6/1 ~	0 YEN	12 YEN

FIG. 24





FIG. 25

	25001	25002	25003	25004	25005	25006
	SHOP GROUP ID	PRODUCT ID	VALID PERIOD	BASIC CHARGE	AMOUNT CHARGE	ORDERED SHEET COUNT
25011 ~	SG01	P01	4/1 ~ 7/31	100 YEN	10 YEN	
25012 ~	SG01	P01	8/1 ~	110 YEN	10 YEN	
25013 ~	SG01	P01	4/1 ~ 7/31	100 YEN	8 YEN	100 ~ 199
25014 ~	SG01	P01	4/1 ~ 7/31	100 YEN	6 YEN	200 ~ 299
25015 ~	SG01	P01	4/1 ~ 7/31	100 YEN	5 YEN	300 ~

FIG. 26



**COMBINED DECLARATION AND POWER OF ATTORNEY
FOR PATENT APPLICATION
(Page 1)**

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name;

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled **INFORMATION PROCESSING SYSTEM, INFORMATION PROCESSING APPARATUS, INFORMATION PROCESSING METHOD, AND STORAGE MEDIUM**, the specification of which ☒ is attached hereto.

I hereby state that I have reviewed and understand the contents of the above-identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose information which is material to patentability as defined in 37 CFR §1.56.

I hereby claim foreign priority benefits under 35 U.S.C. §119(a)-(d) or §365(b), of any foreign application(s) for patent or inventor's certificate, or §365(a) of any PCT international application which designates at least one country other than the United States, listed below and have also identified below any foreign application for patent or inventor's certificate, or PCT international application having a filing date before that of the application on which priority is claimed:

<u>Country</u>	<u>Application No.</u>	<u>Filed (Day/Mo./Yr.)</u>	(Yes/No) <u>Priority Claimed</u>
Japan	158044/1998	June 5, 1998	Yes
Japan	158045/1998	June 5, 1998	Yes
Japan	158046/1998	June 5, 1998	Yes

I hereby claim the benefit under 35 U.S.C. § 120 of any United States application(s), or § 365(c) of any PCT international application designating the United States, listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States or PCT international application in the manner provided by the first paragraph of 35 U.S.C. § 112, I acknowledge the duty to disclose information which is material to patentability as defined in 37 C.F.R. § 1.56 which became available between the filing date of the prior application and the national or PCT international filing date of this application.

<u>Application No.</u>	<u>Filed (Day/Mo./Yr.)</u>	<u>Status</u> (Patented, Pending, Abandoned)
------------------------	----------------------------	-------------------------------------------------

I hereby appoint the practitioners associated with the firm and Customer Number provided below to prosecute this application and to transact all business in the Patent and Trademark Office connected therewith, and direct that all correspondence be addressed to the address associated with that Customer Number:

FITZPATRICK, CELLA, HARPER & SCINTO
Customer Number: 05514

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

Full Name of Sole or First Inventor HARUHISA SUZUKI

Inventor's signature _____

Date _____ Citizen/Subject of JAPAN

Residence 1-4-9-201, Suge-INADAZUTSUMI, Tama-ku, Kawasaki-shi,
Kanagawa-ken, Japan

Full Name of Second Joint Inventor, if any KUNIO SETO

Second Inventor's signature _____

Date _____ Citizen/Subject of JAPAN

Residence 817-76-209, Ogura, Saiwai-ku, Kawasaki-shi, Kanagawa-ken,
Japan

Full Name of Third Joint Inventor, if any MASAHIKO TAKAKU

Third Inventor's signature _____

Date _____ Citizen/Subject of JAPAN

Residence 660-88, Kamiyama-cho, Midori-ku, Yokohama-shi, Kanagawa-
ken, Japan

COMBINED DECLARATION AND POWER OF ATTORNEY
FOR PATENT APPLICATION
(Page 2)

Full Name of Fourth Joint Inventor, if any SHINJI FUKUNAGA

Fourth Inventor's signature _____

Date _____ Citizen/Subject of JAPAN

Residence 4-5-2-502, Hakusan, Asao-ku, Kawasaki-shi, Kanagawa-ken,
Japan

Full Name of Fifth Joint Inventor, if any SHINJI FUJIKAWA

Fifth Inventor's signature _____

Date _____ Citizen/Subject of JAPAN

Residence 1-6-7, Kandaiji, Kanagawa-ku, Yokohama-shi, Kanagawa-ken,
Japan

Full Name of Sixth Joint Inventor, if any TSUTOMU INOSE

Sixth Inventor's signature _____

Date _____ Citizen/Subject of JAPAN

Residence 1-2-9, Odasakae, Kawasaki-ku, Kawasaki-shi, Kanagawa-ken,
Japan